Autism Diagnostic Interview-Revised (ADI-R)

A WPS TEST REPORT by Ann Le Couteur, M.B.B.S., Catherine Lord, Ph.D., Michael Rutter, M.D., F.R.S.

Copyright ©2006 by Western Psychological Services 12031 Wilshire Blvd., Los Angeles, California 90025-1251 Version 1.210

Diagnostic Algorithm Subjects Aged 4 Years, 0 months or more

Name of Subject: Donal Subject ID: Sample

Date of Birth: Not Entered **Date of Interview:** 05/10/06

Chronological Age: 12 year(s) 0 month(s) **Gender:** Male

Name of Respondent: Not Entered Relation to Subject: Not Entered

Clinician Name: Not Entered Date Processed: 05/10/06

School/Clinic: Not Entered

Subject is Verbal (Item 30 = 0)

A: Qualitative Abnormalities in Reciprocal Social Interaction

Codes are "Most Abnormal 4.05.0" for all items in A1 to A4 (except 31, 58, and 65).

		Code	Score
A1: Failure to use nonverbal behaviors to regulate social interaction			
Direct Gaze	(50)	2	2
Social Smiling	(51)	3	2
Range of Facial Expressions Used to Communicate	(57)	2	2 2 6
·	To	otal A1	6
A2: Failure to develop peer relationships			
Imaginative Play With Peers	(49)	2	2
Interest in Children	(62)	2	2
Response to Approaches of Other Children	(63)	2	2
Group Play with Peers (score if 4.0 to 9.11 years)	(64)	2	
OR (score either 64 or 65, depending on age of subject)			2
Friendships (score if 10.0 years or older) "Most Abnormal 10.0 - 15.0"	(65)	2	
Wiost Adiioffiai 10.0 - 13.0	, ,	tal A2	8
	10	iai A2	o
A3: Lack of shared enjoyment			
Showing and Directing Attention	(52)	3	2
Offering to Share	(53)	2	2 2
Seeking to Share Enjoyment With Others	(54)	2	2 6
	To	Total A3	
A4: Lack of socioemotional reciprocity			
Use of Other's Body to Communicate (Score "Ever")	(31)	0	0
Offering Comfort	(55)	2	2
Quality of Social Overtures	(56)	2	2
Inappropriate Facial Expressions (Score "Ever")	(58)	2	2
Appropriateness of Social Responses	(59)	2	2 2 2 2 8
	To	otal A4	8
A Total = A1 + A2 + A3 + A4	A Total (cuto	$\mathbf{ff} = 10)$	28

B: Qualitative Abnormalities in Communication

Codes are "Most Abnormal 4.05.0" for all items in B1 and B4. B2(V) and B3(V) codes apply only for verbal subjects (Item 30 = 0), using "Ever" codes. Only B1 and B4 codes apply for nonverbal subjects (Item 30 = 1 or 2).

		Code	Score
B1: Lack of, or delay in, spoken language and failure to compensate	through gestur	·e	
Pointing to Express Interest	(42)	2	2
Nodding	(43)	2	2
Head Shaking	(44)	2	2 2 2
Conventional/Instrumental Gestures	(45)	3	2
	` '	Total B1	
B4: Lack of varied spontaneous make-believe or social imitative play	y		
Spontaneous Imitation of Actions	(47)	3	2
Imaginative Play	(48)	2	2
Imitative Social Play	(61)	1	2 1
·	To	tal B4	5
Verbal Subjects Only:			
B2(V): Relative failure to initiate or sustain conversational intercha	ange		
Social Verbalization/Chat	(34)	2	2
Reciprocal Conversation	(35)	2	2
	To	otal B2(V)	4
B3(V): Stereotyped, repetitive or idiosyncratic speech			
Stereotyped Utterances and Delayed Echolalia (Score "Ever")	(33)	1	1
Inappropriate Questions or Statements (Score "Ever")	(36)	1	1
Pronominal Reversal (Score "Ever")	(37)	0	0
Neologisms/Idiosyncratic Language (Score "Ever")	(38)	2	2
	To	otal B3(V)	4
Verbal Total = B1 + B2(V) + B3(V) + B4	B(V) Total (cu	itoff = 8)	21
Nonverbal Total = $B1 + B4$	B(NV) Total (cutoff = 7)	

C: Restricted, Repetitive, and Stereotyped Patterns of Behavior Codes are "Ever" for all items in C1 to C4.

		Code	Score
C1: Encompassing preoccupation or circumscribed pattern of interest			
Unusual Preoccupations	(67)	0	0
Circumscribed Interests	(68)_	2	2
	То	tal C1	2
C2: Apparently compulsive adherence to nonfunctional routines or ritu	ıals		
Verbal Rituals	(39)	0	0
Compulsions/Rituals	(70)	1	1
	To	tal C2	1
C3: Stereotyped and repetitive motor mannerisms			
Hand and Finger Mannerisms	(77)	1	
OR (Score the higher of the two)	(70)		1
Other Complex Mannerisms or Stereotyped Body Movements	(78)	1	
	To	tal C3	1
C4. D	4		
C4: Preoccupations with part of objects or non-functional elements of a Repetitive Use of Objects or Interest in Parts of Objects	nateriai (69)	1	
OR (Score the higher of the two)	(09)	1	1
Unusual Sensory Interests	(71)	0	1
Chasaar Bensory Interests	, ,	tal C4	1
C Total = C1 + C2 + C3 + C4	Total (cutof	f=3)	5
D: Abnormality of Development Evident at or	Before 36 M	Ionths	
Age Parents First Noticed	(2)	36	0
Age of First Single Words	(9)	19	0
Age of First Phrases	(10)	24	0
Age When Abnormality First Evident	(86)	2	0
Interviewer's Judgment on Age When Abnormalities First Manifest	(87)	24	1
D	Total (cutof	f = 1)	1

Note:

- = Missing (not answered)

. = Score not calculated.

Summary of Codes

1	NT/A	21		41		<i>C</i> 1	1	01	
	N/A	21		41	-	61	1	81	-
2.	36	22		42	2	62. -	2	82. -	-
3.	N/A	23		43	2	63. -	2	83. -	-
4.	-	24		44	2	64. -	2	84. -	-
5.	-	25		45	3	65. -	2	85. -	-
6.	-	26. -		46	-	66	-	86. 2	
7.	-	27		47. -	3	67. -	0	87. 24	
8.	-	28		48	2	68. -	2	88. -	-
	19	29	-	49	2	69. -	1	89. -	-
10.	24	30. 0		50. -	2	70. -	1	90	-
11.	-	31	0	51. -	3	71. -	0	91	-
11. 12.		31 32	0	51 52	3	71 72	0	91 92	-
	-		0 - 1				0 -		- - -
12.	-	32. -	-	52. -	3	72. -	0	92	- - -
12. 13.	- - -	32 33	- 1	52 53	3 2	72 73	0	92	-
12. 13. 14.	- - -	32 33 34	1 2	52 53 54	3 2 2	72 73 74	0	92	-
12. 13. 14. 15.	- - - -	32 33 34 35	1 2 2	52 53 54 55	3 2 2 2	72 73 74 75	0 - - - - - 1	92	-
12. 13. 14. 15. 16.	- - - - -	32 33 34 35 36	1 2 2 1	52 53 54 55 56	3 2 2 2 2	72 73 74 75	- - - -	92	-
12. 13. 14. 15. 16. 17.	- - - - -	32 33 34 35 36 37	1 2 2 1 0	52 53 54 55 56 57	3 2 2 2 2 2 2	72 73 74 75 76	- - - - 1	92	-
12. 13. 14. 15. 16. 17.	- - - - - -	32 33 34 35 36 37 38	1 2 2 1 0 2	52 53 54 55 56 57 58	3 2 2 2 2 2 2 2	72 73 74 75 76 77 78	- - - - 1	92	-

Missing codes: 110 Missing required codes: 0

Code Key:

Item 2, 5 - 10, 17, 19, 26, 28, and 87: age in month OR code 991 to 999

- = Missing (not answered)

Other Items:

Code 0 to 9

First column: may be "current" or "ever".

Second column (if presented):

may be "most abnormal",

"ever" OR "at 5.0 years".

N/A = Not Applicable (no code needed)

- = Missing (not answered)

This report was generated based on WPS TEST REPORT Microcomputer Data Entry.

END OF REPORT